New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Irvington Residents

1.	Current HIV/AIDS Category	Adult/Ado Cases	olescent *		Pediat Cases				Tota ases 	al %
	AIDS-Any OI AIDS-CD4 Only HIV Only	# # 413	# # 48		# # 8	6	#		173	20 32 48
	Total	857	100		12			_	869	
2.	Current Age * Cases %		/Eth.		Adult, Cases	5 %	Cases	s %		%
	<5 0 0 5-12 12 1 13-19 14 2 20-29 62 7	White Black Hispa Othe	e, Not Hisp k, Not Hisp	oanic oanic	21 790 36	2 92 4 #	0 11 0	0 92 0 #	21	2 92 4 1
	30-39 220 25 40-49 363 42 50+ 198 23 Unk. 0 0		1			100		100		
	Total 869 100			/-						
4.	Patient Group		Males	8	dolescer	Femal	es %	5	Tota	al %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		125 23 81 153	17 27 5 18 33		6 17 15	0 39) 5) 5	18 2 25 30	76 9 36 22 23 3 54 30
	Total		458	100			4 100		84	12 100
			Males	양		Femal	es %		Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		12 #	92 #		1	2 86 # #	 		24 89 # #
								-		

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of June 2004.
- ** 15 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

13 100

27

100

14 100

 $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Irvington Residents

	Adult/Adolescent*					Pediatric*				Total			
1.	Disease Ca	tegory	Cas	ses (%)	Deaths (%)	Cases	(%)	Death	ns (%)	Cases	(%)	Deaths (%)	
	PCP Other OI w KS Alone No Disease			# (#) # (#) 5 (0) 452 (39)	# (#) # (#) 5 (100) 177 (40)	# C	(#) (#) (0) (0)	#		321 395 5 452	34)	261 (82) 282 (72) 5 (100) 177 (40)	
	Total		1	151 (100)	712 (62)	22	(100)	13	3 (59)	1173	(100)	725 (62)	
2.	Age *	Cases	8	3. Race/	Eth.	Adult/A		Pediatr Cases		Total Cases	%		
	Under 5	16	1	White	, Not Hispanic	57	5	0	0	57	5		
	5-12	6	1		, Not Hispanic		89	19	86	1049	89		
	13-19	12	1	Hispa	nic	#	#	#	#	61	. 5		
	20-29	170	14	Other	/Unknown	#	#	#	#	(5 1		
	30-39	503	43										
	40-49	336	29	Total		1151	100	22	100	1173	100		
	Over 49	130	11										
	Unknown	0	0										

4. Patient Gro	oup
----------------	-----

Total 1173 100

Patient Group	Adult/Adolescent Transmission Modes **								
И	Males	용	Females	용	Total	용			
Men sex with men (MSM)	144	19	0	0	144	13			
Injection drug user (IDU)	309	41	124	31	433	38			
MSM/IDU	36	5	0	0	36	3			
Heterosexual contact	92	12	158	39	250	22			
Risk not reported/other***	166	22	119	30	285	25			
Total	747	100	401	100	1148	100			

	Pediatric Transmission Modes							
	Males	용	Females %	Total	%			
Parent at risk/has AIDS/HIV	14	93	9 90	23	92			
Risk not reported/other***	#	#	# #	#	#			
Total	15	100	10 100	25	100			

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 3} patients were diagnosed with $\widetilde{\text{AIDS}}$ as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Irvington Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	16	14	88%
1985	15	14	93%
1986	26	26	100%
1987	45	43	96%
1988	50	43	86%
1989	49	45	92%
1990	54	46	85%
1991	64	61	95%
1992	62	56	90%
1993	117	93	79%
1994	114	80	70%
1995	96	52	54%
1996	80	31	39%
1997	81	36	44%
1998	70	23	33%
1999	68	27	40%
2000	42	10	24%
2001	45	15	33%
2002	44	6	14%
2003	27	#	#
2004	8	#	#
Total	1173	725	62%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Irvington Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/ Cases	Adl*	Pediat Cases	ric*	Total Cases	%
	1.0		Table to the state of the state of the	1.0				1.2	
Under 5	16	3	White, Not Hispanic	13	3	0	0	13	3
5-12	#	#	Black, Not Hispanic	413	92	16	89	429	92
13-19	#	#	Hispanic	#	#	#	#	13	3
20-29	123	26	Other/Unknown	#	#	#	#	11	2
30-39	167	36							
40-49	110	24	Total	448	100	18	100	466	100
Over 49	39	8							
Unknown	0	0							
Total	466	100							

Patient Group	Adult/Adolescent Transmission Modes **								
-	Males	%	Females	%	Total	왕			
Men sex with men (MSM)	33	15	0	0	33	7			
Injection drug user (IDU)	58	27	35	15	93	21			
MSM/IDU	9	4	0	0	9	2			
Heterosexual contact	40	18	103	45	143	32			
Risk not reported/other***	77	35	93	40	170	38			
Total	217	100	231	100	448	100			
		Pedia	tric Transmis	sion Mod	des				
	Males	%	Females	90	Total	%			
Parent at risk/has AIDS/HIV		100	10	83	16	89			
Risk not reported/other***	0	0	#	#	#	#			
Total		100	12	100	18	100			

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size,
 in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Irvington Residents

1.	Current HIV	7/AIDS Ca		Adult/A Cases		Pec Case		ic * %	To Cases	tal % 		
	AIDS-Any OI AIDS-CD4 Or HIV Only	lly		698	44 28 28	:	23 # 18	53 5 42	721 452 466	44 28 28		
	Total			1596			43	100	1639			
2.	Age *	Cases		3. Race/Et 		Adult/A	%	Pediat Cases	ric* %	Case	es	tal %
	Under 5 5-12 13-19 20-29 30-39	36 7 26 335 676	2 0 2 20	White, Black, Hispani	Not Hispanic Not Hispanic c nknown	70	4 90 # #	0 38 # #	0 88 # #	1	70 478 74 17	4 90 5 1
	40-49 Over 49 Unknown	405 154 0	25 9 0	Total		1596			100		639	
	Total	1639										
4.	Patient Gro	_			Ad Males	8	F	Transmissi emales %	To	tal	%	
	Men sex wit Injection of MSM/IDU Heterosexua Risk not re Total	th men (Marug user al contact ported/o	ISM) (IDU) t ther***		177 367 45 132 243	18 38 5 14		0 0 159 25 0 0 261 41 212 34 		177 526 45 393 455	11 33 3 25 29	
					Males	8	F	ransmission emales %		tal	90	
	Parent at r	risk/has eported/o	AIDS/HIV ther***		20 #	95 #		19 86 # #		39 #	91 #	
	Total				21	100	-	22 100			100	

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Irvington Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
Before 1985	16	14	88%
1985	20	19	95%
1986	36	34	94%
1987	58	51	88%
1988	68	56	82%
1989	72	58	81%
1990	93	69	74%
1991	91	73	80%
1992	151	80	53%
1993	144	79	55%
1994	130	63	48%
1995	111	45	41%
1996	112	28	25%
1997	108	29	27%
1998	87	23	26%
1999	84	19	23%
2000	70	14	20%
2001	69	9	13%
2002	63	5	8%
2003	42	#	#
2004	14	#	#
Total	1639	770	47%